

The Silent Struggle of Mental Health Professionals towards Well-Being

Nidhi Goyal^{1*}, Dr. Monica Sharma²

ABSTRACT

Mental health is a crucial aspect of daily life, influencing every individual's emotional, psychological, and social well-being. Mental health professionals dedicate their lives to helping others navigate these mental health issues. The nature of their work exposes them to high emotional demands, secondary trauma, and overwhelming case-loads, making them vulnerable to chronic stress. However, an often-overlooked issue is the mental well-being of these professionals themselves. While they provide crucial support to patients, they frequently neglect their own self-care, leading to burnout, emotional exhaustion. There are many reasons for these neglects made. Effective boundary management and self-care practices are crucial for mental health professionals to navigate these complexities of their roles, prevent burnout, and maintain overall well-being. For a Mental Health Professionals, it is of utmost importance that they take good care of their physical and mental health as when they themselves will be healthy only then they will be able to help and support their clients. The present paper focuses on identifying the potential causes, preventive strategies and techniques which could be employed by a Mental Health Professionals to maintain their physical and mental health.

Keywords: *Mental Health Professionals, Self-Care, Boundary Management, Burnout*

Mental health is an essential component of overall well-being, influencing an individual's thoughts, emotions, behaviours, and ability to navigate daily life. Mental health challenges are a common experience for any Indian. Most people will experience periods of better or worse mental health throughout their lives. However, some people will experience symptoms that are more severe, persist for a longer period, and impact their ability to function in everyday life. These people may meet the diagnostic criteria for a specific mental illness or mental disorder. Mental health professionals, including psychiatrists, psychologists, counsellors, and social workers, are at the forefront of addressing these concerns, like diagnosing mental illnesses, providing therapy, and offering crisis intervention. Their role extends across diverse settings, including hospitals, private practices, community centres, schools, and correctional facilities. (Sapienza and Bugental, 2000)

¹Research Scholar, Department of Psychology, IIS (deemed to be University), Jaipur

²Associate Professor & Head Department of Clinical Psychology, IIS (deemed to be University), Jaipur

*Corresponding Author

Received: June 07, 2025; Revision Received: July 26, 2025; Accepted: August 01, 2025

The Silent Struggle of Mental Health Professionals towards Well-Being

Their work involves guiding clients through a range of psychological disorders like trauma, depression, anxiety etc, making them indispensable in today's healthcare landscape.

However, while mental health professionals are trained to support others in their healing journeys, their own well-being is often overlooked.

Entering the field of mental health is not just about acquiring clinical knowledge and therapeutic techniques; but it also involves building personal skills that support long-term resilience and success. Proper training is a fundamental requirement for mental health professionals, as it not only equips them to help other with Mental Health conditions but also equips them with the necessary tools to navigate the emotional and psychological challenges of their work. This training extends beyond client care that includes diagnosis treatment etc to maintaining self-care, boundary management, time and stress management etc. All of these factors are critical for striking a good balance between work obligations and personal well-being.

According to a study by the American Psychological Association (APA, 2021), found that almost 50% of psychologists feel emotionally exhausted from their work, and about one in three mental health professionals have experienced burnout. This growing crisis not only affects the professionals themselves but also impacts the quality of care they provide to their patients/clients. Preparing for a career in mental health isn't only about learning to support others; it also means learning how to care of oneself. Without proper training in managing stress, organizing time, practicing self-care, and setting boundaries, professionals may find it hard to maintain their well-being and risk experiencing burnout. These skills are not optional but they're essential components of mental health training, ensuring that professionals remain resilient, effective, and emotionally grounded. Proper training program equips mental health professionals not only for their day-to-day responsibilities, but for a lifelong journey of personal and professional growth, so they can thrive in a career that requires both skill and emotional endurance.

Mental health providers are at risk of being overextended due to the nature of their job, without even exploring the type of clients they are working with. It is estimated that 82-94% of clients who seek treatment have experienced some sort of lifetime trauma (Bride,2004). With percentages so high, it becomes apparent that the majority of mental health providers will be exposed to clients with a trauma history, more specifically they are exposed to negative events and information. In order for mental health providers to offer effective treatment, they will typically have to assist the client in working through their past trauma which commonly involves multiple recounts of the event (Bride, Radey & Figley, 2007).When clients recall traumatic events, mental health professionals are subjected to vivid imagery, which exposes them indirectly to the trauma and can result in significant emotional, cognitive and behavioural changes over time (Bride et al., 2007; Knight, 2013).

Apart from the nature of work Mental health professionals face numerous barriers which hamper their competencies, emotional & physical strength, many of which stem from both internal and external sources. Internally, they may struggle with perfectionism, guilt, or unrealistic expectations of their capacity to help others. On the outside, factors like heavy workloads, limited support from institutions, and poor oversight create a work culture where self-care isn't prioritized. At the same time, cultural and professional stigma around asking for help can stop mental health professionals from taking care of their own well-being.

The Silent Struggle of Mental Health Professionals towards Well-Being

When there's no proper support system in place, these challenges build up over time, often leading to emotional exhaustion, loss of empathy, and eventually burnout.

Table 1: Showcase the Potential Causes of Mental Health Challenges

S. No.	Potential Cause	Description
1.	High Emotional Demands	Persistently exposure to clients' emotional pain and turmoil (Moreno-Jimenez et al., 2021).
2.	Secondary Traumatic Stress	Hearing about the terrible experiences of clients causes indirect trauma. (Cieslak et al., 2014).
3.	Heavy Caseloads	Managing too many clients can result in overwhelm, exhaustion, and reduced efficacy.
4.	Lack of Work-Life Boundaries	Difficulty in separating professional and personal life (Pitt et al., 2021).
5.	Stigma Around Seeking Help	Professionals avoid getting treatment because they are afraid of being evaluated or perceived as "weak"(Tay et al., 2018).
6.	Limited Organizational Support	Lack of supervision, resources, or support from management
7.	Perfectionism and Overcommitment	Unrealistic expectations of always being available or effective (F. D'Souza et al., 2011).
8.	Compassion Fatigue	Emotional exhaustion from prolonged caring for clients in distress (Kelly, 2020).
9.	Inadequate Self-Care Practices	Knowingly avoiding regular routines for rest, nutrition, exercise, and relaxation (Slowiak & DeLongchamp, 2021)
10.	Ethical and Role Conflicts	Handling difficult client circumstances that can be emotionally and morally taxing. (Bhola et al., 2015).
11.	Role Overload	Balancing therapy, documentation, supervision, research, and organizational duties simultaneously.
12.	Technological Fatigue (Zoom fatigue, Electronic Health Record EHR burden)	Emotional and cognitive exhaustion from constant screen time and electronic documentation.
13.	Lack of Training in Coping and Resilience Skills	Graduate schools don't give enough attention on practitioner self-care and emotional labour management.
14.	Poor Boundary Management	Having trouble saying no, over-identifying with clients, or working beyond one's limits (Wepfer et al., 2017).
15.	Financial Stress	Inconsistent income, especially in private practice or underpaid roles.
16.	Professional Isolation	Working in private practice or underserved areas with less collegial interaction (Kutoane et al., 2021).

Even though the risks of burnout are well known, many mental health professionals still struggle with neglecting their own needs. Many practitioners emphasise their clients' well-being over their own, without fully realizing how ongoing stress can take a toll on their own well-being. This self-sacrificing mindset can lead to severe consequences, including compassion fatigue, emotional detachment, and even poor judgment. On top of that, expectations from society and professional expectations may discourage them from seeking help, reinforcing the stigma surrounding mental health care within their own field.

The Silent Struggle of Mental Health Professionals towards Well-Being

As a result, practicing in self-care is frequently placed to the bottom of a practitioner's to-do list, rather than being prioritised (Rivera-Kloepfel & Mendenhall, 2021). To maintain the sustainability of their careers and improve their ability to provide quality care, mental health professionals must practise in self-care and effective boundary management. Both are necessary to maintain their well-being, avoid burnout and sustain their ability to provide effective care. To prevent burnout, these professionals must set clear boundaries between their personal and professional life.

Effective boundary management involves setting work-life limits by defining working hours, ensuring regular breaks and resisting the impulse to be frequently available to clients.

Emotional boundaries are equally important, as mental health professionals must maintain empathy without absorbing their clients' suffering which might result into secondary trauma. Additionally, establishing digital boundaries such as not participating with clients on personal social media accounts and setting clear response times for emails and messages which allows them to prevent blurred lines between personal and professional connections. Physical boundaries, such as creating designated workspaces and limiting after-hours consultations, further reinforce a healthy separation between work and personal life.

Moreover, interpersonal boundaries with colleagues and supervisors are essential in preventing role overload and maintaining professional respect. Saying "no" to endless caseloads, extra responsibilities, or unpaid emotional labor helps mental health professionals to preserve their energy and effectiveness (Pitt et al., 2021).

Self-Care also plays a critical role in reinforcing these boundaries through recommending regular physical activity, getting adequate sleep, practicing mindfulness and engaging in enjoyable and relaxing activities. It refers to the ability to refill and refuel oneself in healthy ways, such as engaging in activities that help maintain and improve physical and emotional well-being and reduce the level of stress, anxiety, or emotional reaction experienced while working with clients. It refers not only to an engagement in various practices but also to having a caring attitude or 'being' caring toward oneself.

The techniques that mental health professionals can use to maintain and enhance their physical and mental well-being are mentioned in Table 2. These are practical, evidence-based techniques that support preventive strategies and address the unique challenges faced by professionals in this field and also support their practice as a mental health professionals (Rivera-Kloepfel & Mendenhall, 2021).

Table 2: Techniques for Maintaining Well-Being

S.N.	TECHNIQUE	DESCRIPTION	BENEFIT
1.	Mindfulness Meditation	Practice focused awareness on the present moment using guided or unguided sessions.	Reduces stress, improves focus, and enhances emotional regulation
2.	Progressive Muscle Relaxation (PMR)	Tense and relax muscle groups carefully to ease physical stress.	Lowers anxiety and improves sleep
3.	Gratitude Journaling	Every day, write down three to five things for which you are thankful.	Increases positivity and satisfaction
4.	Breathing Techniques (e.g., box breathing)	Regulated breathing methods to control stress response (inhale-hold-exhale-hold)	Activates parasympathetic system; improves calmness

The Silent Struggle of Mental Health Professionals towards Well-Being

S.N.	TECHNIQUE	DESCRIPTION	BENEFIT
5.	Scheduled Breaks and Micro-pauses	Intentional, brief pauses between sessions or tasks	Prevents decision fatigue and mental depletion.
6.	Peer Debriefing Sessions	Frequent check-ins with colleagues to talk about challenging situations and share coping strategies	Provides emotional support and validation.
7.	Time-blocking for Self-Care Activities	Allocate specific periods of time in the schedule for personal wellness habits.	Ensures self-care is prioritized in daily routine
8.	Sleep Hygiene Practices (Lucock et al., 2011)	Establish consistent, healthy sleep patterns that include limiting screen time before bed.	Promotes mental clarity and recovery
9.	Laughter Therapy or Humor Practice	Watch or indulge in activities that lead to laughing.	Elevates mood and decreases stress hormones
10.	Self-affirmation Exercises	Making positive affirmations about one's value, expertise, and worth	Builds self-efficacy and emotional stability.
11.	Digital Detox	Intentionally disconnect from electronic gadgets during non-working hours	Reduces overstimulation and prevents emotional exhaustion
12.	Nature Therapy (Ecotherapy)	Spend time in the outdoors, such as strolling in parks or gardening.	Enhances mood and lowers cortisol levels
13.	Creative Expression (Art, Music, Writing)	Participate in creative activities like painting, playing instruments, or journaling	Provides emotional release and supports self-discovery.
14.	Mindful Eating	Eat meals with complete awareness and avoid distractions.	Improves digestion and encourages healthy habits
15.	Self-Compassion Exercises	Practice kindness toward oneself during times of failure or difficulty.	Reduces self-criticism and fosters resilience.
16.	Hydration and Nutrition Monitoring	Regularly monitor and improve your water consumption and nutrition patterns.	Enhances cognitive functioning and physical stamina.

Preventive Strategies for Mental Health Professionals

Implementing effective preventive strategies can help mental health professionals protect their well-being and continue to perform their roles effectively. Institutions must create environments that support wellness through manageable caseloads, regular supervision, and mental health education. On an individual level, professionals should engage in regular self-monitoring, boundary-setting, and emotional processing. Preventive strategies must be both proactive and reactive designed to anticipate stressors and respond effectively when challenges arise, some of them are suggest in table 3. Training programs should integrate self-care as a professional skill and ethical obligation.

The Silent Struggle of Mental Health Professionals towards Well-Being

Table 3: Preventive Strategies for Mental Health Professionals

S. N.	Preventive Strategy	Description	Expected Benefit
1.	Regular Supervision and Peer Support (Stefancic et al., 2021)	Engage in clinical supervision or peer consultation to process emotional strain and ethical issues.	Reduces isolation, promotes reflective practice, prevents burnout
2.	Structured Self-Care Plan (Kravits et al., 2009)	Create and follow a self-care schedule that include hobbies, exercise, sleep, and diet.	Enhances physical health, emotional balance, and resilience
3.	Clear Boundary Management (C et al., 2016)	Maintain clear professional-personal boundaries with clients and colleagues.	Prevents emotional exhaustion and role confusion.
4.	Workload Regulation (Martín-Brufau et al., 2020)	Schedule breaks, keep the number of clients to a minimum, and use your time wisely.	Prevents compassion fatigue and maintains performance quality.
5.	Continued Professional Development (Zhang et al., 2024)	Attend conferences, workshops, and trainings to keep updated and inspired	Increases confidence, competence, and job satisfaction.
6.	Social Support and Work-Life Balance (Kurtulus et al., 2023)	Maintain strong personal relationships and participate in non-work-related social activities	Reduces feelings of loneliness and promotes emotional recharge
7.	Crisis Management Training (Ingrassia et al., 2014)	Equip professionals with abilities to handle high-stress or crisis circumstances.	Enhances confidence, reduces stress during emergencies.
8.	Mentorship Programs	Connect with senior professionals for advice and moral support.	Fosters professional growth and emotional support.
9.	Regular Feedback Mechanism	Engage in formal feedback procedures with supervisors and peers.	Helps in professional refinement and emotional validation
10.	Recognition and Reward Systems (Hansen et al., 2002)	Promote organisational initiatives that recognize efforts and celebrate achievements.	Boosts morale and reinforces professional identity.

CONCLUSION

Mental health professionals are critical to the well-being of society, yet they face unique challenges that threaten their own mental health. The cumulative stress, emotional demands, and systemic pressures inherent in their roles often lead to burnout, compassion fatigue, and emotional tiredness. This paper examined the multifaceted causes of self-care neglect and identified both institutional and individual strategies for prevention. The importance of boundary management and self-care cannot be emphasised, as they are vital not only for professional sustainability but also for ethical and effective client care.

For long-term well-being, mental health professionals must prioritize their own health to model resilience and provide sustainable care. Institutions must recognize the value of their workforce by embedding wellness initiatives and reducing stigma. Ultimately, a collective effort is needed where practitioners, organizations, and regulatory bodies jointly contribute to fostering a healthy professional environment. By investing in the mental health of those who serve others, we strengthen the overall mental health infrastructure for society.

REFERENCES

- Bhola, P., Sinha, A., Sonkar, S., & Raguram, A. (2015). Ethical dilemmas experienced by clinical psychology trainee therapists. *Indian Journal of Medical Ethics*. <https://doi.org/10.20529/ijme.2015.055>
- C, L., N, H., & S, B. (2016). Work-Life Balance: the good and the bad of boundary management. *International Journal of Psychological Studies*, 8(1), 133. <https://doi.org/10.5539/ijps.v8n1p133>
- Cieslak, R., Shoji, K., Douglas, A., Melville, E., Luszczynska, A., & Benight, C. C. (2014). A meta-analysis of the relationship between job burnout and secondary traumatic stress among workers with indirect exposure to trauma. *Psychological Services*, 11(1), 75–86. <https://doi.org/10.1037/a0033798>
- D'Souza, F., Egan, S. J., & Rees, C. S. (2011). The relationship between perfectionism, stress and burnout in clinical psychologists. *Behaviour Change*, 28(1), 17–28. <https://doi.org/10.1375/bech.28.1.17>
- Figley, C. R. (2002). Compassion fatigue: Psychotherapists' chronic lack of self care. *Journal of Clinical Psychology*, 58(11), 1433–1441. <https://doi.org/10.1002/jclp.10090>
- GS, A., & S, S. P. (2025). Work life balance and healthy living for women healthcare professionals. *JNNCE Journal of Engineering and Management*, SP03, 126–130. <https://doi.org/10.37314/jjem.sp0318>
- Hansen, F., Smith, M., & Hansen, R. B. (2002). Rewards and recognition in employee motivation. *Compensation & Benefits Review*, 34(5), 64–72. <https://doi.org/10.1177/0886368702034005010>
- Ingrassia, P. L., Foletti, M., Djalali, A., Scarone, P., Ragazzoni, L., Della Corte, F., Kaptan, K., Lupescu, O., Arculeo, C., Von Arnim, G., Friedl, T., Ashkenazi, M., Heselmann, D., Hreckovski, B., Khorram-Manesh, A., Komadina, R., Lechner, K., Patru, C., Burkle, F. M., & Fisher, P. (2014). Education and Training Initiatives for Crisis management in the European Union: A web-based analysis of available programs. *Prehospital and Disaster Medicine*, 29(2), 115–126. <https://doi.org/10.1017/s1049023x14000235>
- Kelly, L. (2020). Burnout, compassion fatigue, and secondary trauma in nurses: Recognizing the occupational phenomenon and personal consequences of caregiving. *Critical Care Nursing Quarterly*, 43(1), 73–80. <https://doi.org/10.1097/cnq.0000000000000293>
- Kravits, K., McAllister-Black, R., Grant, M., & Kirk, C. (2009). Self-care strategies for nurses: A psycho-educational intervention for stress reduction and the prevention of burnout. *Applied Nursing Research*, 23(3), 130–138. <https://doi.org/10.1016/j.apnr.2008.08.002>
- Kurtuluş, E., Kurtuluş, H. Y., Birel, S., & Batmaz, H. (2023). The Effect of Social Support on Work-Life Balance: The Role of Psychological Well-Being. *International Journal of Contemporary Educational Research*, 10(1), 239–249. <https://doi.org/10.33200/ijcer.1152323>
- Kutoane, M., Brysiewicz, P., & Scott, T. (2021). Interventions for managing professional isolation among health professionals in low resource environments: A scoping review. *Health Science Reports*, 4(3). <https://doi.org/10.1002/hsr2.361>
- La Mott, J., & Martin, L. A. (2019). Adverse childhood experiences, self-care, and compassion outcomes in mental health providers working with trauma. *Journal of Clinical Psychology*, 75(6), 1066–1083. <https://doi.org/10.1002/jclp.22752>

The Silent Struggle of Mental Health Professionals towards Well-Being

- Lucock, M., Gillard, S., Adams, K., Simons, L., White, R., & Edwards, C. (2011). Self-care in mental health services: a narrative review. *Health & Social Care in the Community*, 19(6), 602–616. <https://doi.org/10.1111/j.1365-2524.2011.01014.x>
- Martín-Brufau, R., Martín-Gorgojo, A., Suso-Ribera, C., Estrada, E., Capriles-Ovalles, M., & Romero-Brufau, S. (2020). Emotion regulation strategies, workload conditions, and burnout in healthcare residents. *International Journal of Environmental Research and Public Health*, 17(21), 7816. <https://doi.org/10.3390/ijerph17217816>
- Moreno-Jiménez, J. E., Blanco-Donoso, L. M., Chico-Fernández, M., Hofheinz, S. B., Moreno-Jiménez, B., & Garrosa, E. (2021). The job demands and resources related to COVID-19 in predicting emotional exhaustion and secondary traumatic stress among health professionals in Spain. *Frontiers in Psychology*, 12. <https://doi.org/10.3389/fpsyg.2021.564036>
- Pitt, R. N., Alp, Y. T., & Shell, I. A. (2021). The mental health Consequences of Work-Life and Life-Work conflicts for STEM postdoctoral trainees. *Frontiers in Psychology*, 12. <https://doi.org/10.3389/fpsyg.2021.750490>
- Richards, K. C., Campenni, C. E., & Muse-Burke, J. L. (2010). Self-care and well-being in mental health professionals: The mediating effects of self-awareness and mindfulness. *Journal of mental health counseling*, 32(3), 247-264.
- Rivera-Kloepfel, B., & Mendenhall, T. (2021). Examining the relationship between self-care and compassion fatigue in mental health professionals: A critical review. *Traumatology an International Journal*, 29(2), 163–173. <https://doi.org/10.1037/trm0000362>
- Shapiro, S. L., Brown, K. W., & Biegel, G. M. (2007). Teaching self-care to caregivers: Effects of mindfulness-based stress reduction on the mental health of therapists in training. *Training and Education in Professional Psychology*, 1(2), 105–115. <https://doi.org/10.1037/1931-3918.1.2.105>
- Singh, V., Kumar, A., & Gupta, S. (2022). Mental Health Prevention and Promotion—A Narrative Review. *Frontiers in Psychiatry*, 13. <https://doi.org/10.3389/fpsyg.2022.898009>
- Slowiak, J. M., & DeLongchamp, A. C. (2021). Self-Care Strategies and Job-Crafting Practices among behavior analysts: Do they predict perceptions of Work–Life balance, work engagement, and burnout? *Behavior Analysis in Practice*, 15(2), 414–432. <https://doi.org/10.1007/s40617-021-00570-y>
- Sovold, L. E., Naslund, J. A., Kousoulis, A. A., Saxena, S., Qoronfleh, M. W., Grobler, C., & Münter, L. (2021). Prioritizing the Mental Health and Well-Being of Healthcare Workers: an urgent global public health priority. *Frontiers in Public Health*, 9. <https://doi.org/10.3389/fpubh.2021.679397>
- Stefancic, A., Bochicchio, L., Tuda, D., Harris, Y., DeSomma, K., & Cabassa, L. J. (2021). Strategies and lessons learned for supporting and supervising peer specialists. *Psychiatric Services*, 72(5), 606–609. <https://doi.org/10.1176/appi.ps.202000515>
- Tay, S., Alcock, K., & Scior, K. (2018). Mental health problems among clinical psychologists: Stigma and its impact on disclosure and help-seeking. *Journal of Clinical Psychology*, 74(9), 1545–1555. <https://doi.org/10.1002/jclp.22614>
- Wepfer, A. G., Allen, T. D., Brauchli, R., Jenny, G. J., & Bauer, G. F. (2017). Work-Life Boundaries and Well-Being: Does Work-to-Life Integration Impair Well-Being through Lack of Recovery? *Journal of Business and Psychology*, 33(6), 727–740. <https://doi.org/10.1007/s10869-017-9520-y>
- Zhang, M., Wu, S., Ibrahim, M. I., Noor, S. S. M., & Mohammad, W. M. Z. W. (2024b). Significance of ongoing training and professional development in optimizing

The Silent Struggle of Mental Health Professionals towards Well-Being

healthcare-associated infection prevention and control. *Journal of Medical Signals & Sensors*, 14(5). https://doi.org/10.4103/jmss.jmss_37_23

Acknowledgment

The author(s) appreciates all those who participated in the study and helped to facilitate the research process.

Conflict of Interest

The author(s) declared no conflict of interest.

How to cite this article: Goyal, N. & Sharma, M. (2025). The Silent Struggle of Mental Health Professionals towards Well-Being. *International Journal of Indian Psychology*, 13(3), 1319-1327. DIP:18.01.120.20251303, DOI:10.25215/1303.120