

Research Paper

Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction

Dr. Rahul Shil^{1*}

ABSTRACT

Addiction is characterized by a persistent divergence between intention and action, posing a central challenge for contemporary neuroscience and psychiatry. While dual-process theories, reinforcement learning models, and neurobiological frameworks have advanced understanding, they often fail to integrate subjective experience with dynamic neural regulation. The Secondary Brain Dominance Theory (SBDT) proposes that behavior is governed by a fluctuating balance between two functional systems: an executive, reflective system (Primary Brain) and an automatic, habitual system (Secondary Brain). Addiction is conceptualized as a state-dependent shift toward dominance of automatic processes, leading to impaired self-regulation. By synthesizing insights from network neuroscience, computational psychiatry, and behavioral research, SBDT offers a unified and mechanistically grounded framework. The model has significant implications for clinical assessment, therapeutic intervention, and the development of precision psychiatry approaches.

Keywords: *Addiction, Cognitive control, Dual-process theory, Executive function, Habit formation, Neurocognitive models*

A defining feature of human behavior is the recurrent mismatch between what individuals intend to do and what they actually do. This discrepancy, often described as a failure of self-regulation, has historically been attributed to unconscious psychological forces. Early psychoanalytic formulations suggested that behavior is shaped by internal conflicts and drives operating outside awareness.¹ In contrast, modern cognitive science has conceptualized this phenomenon through dual-process theories, distinguishing between rapid, automatic processes and slower, deliberative forms of reasoning.^{2,3} Although these models have provided a valuable framework for understanding decision-making and impulse control, they are often limited by their relatively static structure. Recent advances in neuroscience have shifted the focus toward dynamic interactions among large-scale brain networks. Evidence indicates that executive control functions, largely mediated by the prefrontal cortex, can be transiently compromised under conditions such as stress or emotional arousal, allowing subcortical and limbic systems to exert greater influence over behavior.⁴ This dynamic reconfiguration is particularly evident in addiction, where individuals frequently report a subjective loss of control. Neuroimaging

¹ Associate Professor, Department of MSN (Neuroscience), PES University, Bengaluru, India.

*Corresponding Author

Received: May 02, 2026; Revision Received: September 22, 2026; Accepted: September 28, 2026

© 2026, Shil, R.; licensee IJIP. This is an Open Access Research distributed under the terms of the Creative Commons Attribution License (www.creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any Medium, provided the original work is properly cited.

Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction

studies consistently demonstrate decreased activity in prefrontal regions alongside heightened activation in reward-related circuits, suggesting an imbalance in neural regulation.⁵ Additionally, computational models describe behavior as the outcome of competition between goal-directed and habitual systems, with addiction reflecting a bias toward habitual control.⁶ Despite these advances, existing frameworks often fail to simultaneously account for neural mechanisms, behavioral dynamics, and subjective experience. The Secondary Brain Dominance Theory is proposed as an integrative model that addresses this limitation by emphasizing the dynamic dominance of competing cognitive systems.

Theoretical Framework of SBDT:

The SBDT extends dual-process models by introducing the principle of functional dominance, whereby behavior is determined by the system that exerts greater control at a given moment. The Primary Brain represents executive processes associated with planning, inhibitory control, and goal-directed action, while the Secondary Brain encompasses automatic, emotionally driven, and habit-based processes.⁷ Rather than functioning in parallel with equal influence, these systems are proposed to compete dynamically, with contextual and internal factors influencing their relative dominance. Under stable conditions, executive systems regulate behavior effectively, enabling adaptive decision-making. However, factors such as stress, repeated reinforcement, and emotional activation can disrupt this balance, leading to a shift toward automatic processing. Neurobiological evidence supports this framework, demonstrating that impaired prefrontal functioning combined with increased activation of reward-related regions is a hallmark of addictive behavior.⁸




Fig 1: Behavior emerges from dynamic neural competition between executive and autonomic system.

Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction

Functional Dominance and Neural Dynamics:

Within SBDT, the Primary and Secondary Brain are conceptualized as interacting functional networks rather than discrete anatomical entities. This perspective aligns with contemporary network neuroscience, which emphasizes the role of large-scale systems such as the executive control network, salience network, and default mode network in shaping cognition and behavior.⁹ Behavioral output is understood as the emergent result of shifting dominance among these systems, rather than the fixed operation of isolated processes. This dynamic framework also corresponds with computational accounts of decision-making, where behavior reflects competition between model-based and model-free systems. In addition, the increasing reliance on habitual responses reflects a dominance of model-free processing, consistent with the proposed role of the Secondary Brain.⁶




Fig 2: Secondary brain dominance theory

Addiction as a State of Dominance Shift:

SBDT conceptualizes addiction as a progressive transition from voluntary, goal-directed behavior to automatic, habitual responding. Repeated exposure to rewarding stimuli strengthens neural pathways associated with habit formation, reducing the influence of executive control over time.⁷ Environmental cues associated with substance use or behavior can subsequently trigger automatic responses, even in the absence of conscious intent, highlighting the role of conditioned learning in maintaining addiction.¹⁰ Importantly, this framework provides a coherent explanation for the subjective experience of addiction. Individuals often describe their behavior as being driven by forces beyond conscious control, which can be interpreted as periods in which automatic systems dominate executive regulation.

Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction




Fig 3: A progressive transition from voluntary, goal directed behavior to autonomic habitual responding.

Clinical Implications:

The SBDT framework reframes addiction as a dysfunction of neurocognitive regulation rather than a failure of willpower. This perspective aligns with contemporary approaches in psychiatry that emphasize biological and cognitive mechanisms, thereby reducing stigma and improving patient engagement.⁵ Clinically, the model suggests the need for assessment strategies that capture variability in executive functioning, sensitivity to environmental cues, and stress-related changes in behavior. Stress is a particularly important factor in this context, as it has been shown to impair prefrontal cortex functioning and facilitate a shift toward habitual responding.⁴ This provides a mechanistic explanation for relapse, particularly in high-stress environments.

Therapeutic Implications:

Interventions informed by SBDT aim to restore balance between executive and automatic systems. Approaches that enhance executive functioning, such as cognitive behavioral therapy and cognitive training, have been shown to improve self-regulation and decision-making.¹¹ At the same time, interventions targeting automatic processes, including cue exposure and habit-based therapies, aim to reduce conditioned responses and maladaptive behavioral patterns.^{10,12} Mindfulness-based interventions provide a complementary approach by increasing awareness of automatic urges and strengthening top-down control mechanisms. Neuroimaging evidence indicates that such practices enhance prefrontal activity while reducing reactivity in limbic regions.¹³ Furthermore, the SBDT framework supports the development of personalized treatment strategies within precision psychiatry, recognizing that individuals differ in their susceptibility to dominance shifts and response to intervention.¹⁴

Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction

Future Directions

Future research should focus on empirically validating the concept of functional dominance through neuroimaging and computational modeling. Longitudinal studies may help elucidate how dominance patterns evolve over the course of addiction and recovery.⁹ Additionally, advances in digital phenotyping and wearable technology may enable real-time monitoring of behavioral and physiological indicators, facilitating early intervention and relapse prevention.

CONCLUSION

This Theory offers a novel and integrative framework for understanding addiction as a dynamic imbalance in cognitive control systems. By linking neural mechanisms, behavioral processes, and subjective experience, the model provides a comprehensive foundation for both research and clinical application. Its emphasis on dynamic regulation and individual variability aligns with contemporary developments in neuroscience and precision psychiatry, making it a promising direction for future investigation.

REFERENCES

1. Read-Me.Org. The ego and the ID. Read-Me. Org. 2023. Accessed on 30 apr 2026. Available from: <https://read-me.org/freud/2023/5/5/the-ego-and-the-id>
2. St B T Evans J, Stanovich KE. Dual-Process theories of higher cognition. *Perspectives on Psychological Science*. 2013;8(3):223–41.
3. Kahneman, D. *Thinking, fast and slow*. New York: Farrar, Straus and Giroux. 2011.
4. Arnsten AFT. Stress weakens prefrontal networks: molecular insults to higher cognition. *Nature Neuroscience*. 2015;18(10):1376–85.
5. Volkow ND, Boyle M. Neuroscience of Addiction: Relevance to Prevention and treatment. *American Journal of Psychiatry*. 2018;175(8):729–40.
6. Pei Z, Rojas-Arevalo AM, De Haan FJ, Lipovetzky N, Moallemi EA. Reinforcement learning for decision-making under deep uncertainty. *Journal of Environmental Management*. 2024; 359:120968.
7. Everitt BJ, Robbins TW. Drug Addiction: Updating actions to habits to compulsions ten years on. *Annual Review of Psychology*. 2015;67(1):23–50.
8. Goldstein RZ, Volkow ND. Dysfunction of the prefrontal cortex in addiction: neuroimaging findings and clinical implications. *Nature Reviews Neuroscience*. 2011;12(11):652–69.
9. Menon V. Large-scale brain networks and psychopathology: a unifying triple network model. *Trends in Cognitive Sciences*. 2011;15(10):483–506.
10. Ekhtiari H, Nasser P, Yavari F, Mokri A, Monterosso J. Neuroscience of drug craving for addiction medicine. *Progress in Brain Research*. 2015; 223:115–41.
11. Diamond A. Executive functions. *Annual Review of Psychology*. 2012;64(1):135–68.
12. Heatherton TF, Wagner DD. Cognitive neuroscience of self-regulation failure. *Trends in Cognitive Sciences*. 2011;15(3):132–9.
13. Tang YY, Hölzel BK, Posner MI. The neuroscience of mindfulness meditation. *Nature Reviews Neuroscience*. 2015;16(4):213–25.
14. Williams LM. Special Report: Precision Psychiatry—Are we getting closer? *Psychiatric News*. 2022;57(9).

Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction

Acknowledgment

The author(s) appreciates all those who participated in the study and helped to facilitate the research process.

Conflict of Interest

The author(s) declared no conflict of interest.

How to cite this article: Shil, R. (2026). Secondary Brain Dominance Theory (SBDT): A Dynamic Neurocognitive Framework of Control Imbalance in Addiction. *International Journal of Indian Psychology*, 14(3), 2606-2611. DIP:18.01.237.20261403, DOI:10.25215/1403.237