

Research Paper

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

Ritika Gupta^{1*}, Dr. Ramkirti Singh²

ABSTRACT

One of the most widespread neurodevelopmental conditions affecting the social interactions and learning abilities of children in present scenario is Attention-Deficit Hyperactivity disorder (ADHD). Manifesting symptoms like prolonged periods of sedentary behaviour or excessive restlessness or impulsivity this disorder creates new complexities to a child's acclimatization in school and socialization with peers. Children with ADHD often underperform in studies, face troubles with peer acceptance and are prone to show aggressive behaviour in classroom settings failing to display emotional restraint. This paper explores the intricate effects of ADHD on academic performance and socialization of children having the condition. It further investigates and probes into the cognitive, emotional, and behavioural domains of children with ADHD. Additionally, it discusses the intervention models suitable to the environments at home and in schools and suggests inclusive support systems. The paper includes statistical data and comparison charts to develop a holistic understanding of the special needs of these children and recommends productive steps to cater to their requirements.

Keywords: *Attention Deficit Hyperactivity Disorder, Academic Abilities*

Attention-deficit/hyperactivity disorder (ADHD) is a common condition in children worldwide. It is a neurodevelopmental disorder that affects children's ability to pay attention, stay still, and control impulses. ADHD can make it difficult for children to do well in school and get along with others. As we learn more about ADHD, we see that it not only affects daily life but also makes it difficult for children to succeed in school and social settings. The effects of ADHD can last into adulthood; therefore, it is important to get help early and continue support to manage these challenges. Doctors diagnose ADHD by evaluating symptoms based on the guidelines of the American Psychiatric Association's DSM-5. To be diagnosed, a child must show signs of inattention or hyperactivity-impulsivity for at least six months, and these symptoms must be more severe than what is typical for their age, causing problems in social, school, or work environments. ADHD is caused by a combination of genetic, environmental, and brain-related factors. Having family members with ADHD, brain structure differences seen in scans, and exposure to certain toxins before birth are some of the risk factors. ADHD affects approximately 5-7% of

¹Research Scholar, Department of Psychology, D.D.U. Gorakhpur University, Gorakhpur

²Assistant Professor, Department of Psychology, D.D.U. Gorakhpur University, Gorakhpur

*[Corresponding Author](#)

Received: July 05, 2026; Revision Received: September 22, 2026; Accepted: September 28, 2026

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

children globally. In the U.S., the CDC states that approximately 9.8% of children aged 3-17 have been diagnosed with ADHD at some point. Boys are more frequently diagnosed than girls, with ratios ranging from 2:1 to 9:1, depending on the type of ADHD. However, girls with mainly inattentive symptoms are often diagnosed later, which delays their treatment. ADHD can make schoolwork difficult because children struggle with focusing, controlling impulses, and using the skills needed for planning and organizing tasks.

These cognitive deficits can result in academic underachievement, difficulties in time management, and challenges in following instructions. Common difficulties include trouble staying organized, maintaining focus on tasks, and completing their assignments. These challenges often lead to poor academic performance, which, in turn, can affect a child's self-esteem, motivation, and overall engagement with the school. Moreover, children with ADHD often display disruptive classroom behaviors such as excessive talking, moving around the classroom, and an inability to wait for their turn. These behaviors are frequently misinterpreted as signs of defiance or lack of motivation, leading to negative feedback from teachers and peers alike. The cycle of negative academic experiences, coupled with disciplinary actions, can foster disengagement from school and, in severe cases, result in grade retention, special education placement or school dropout.

Research indicates that children with ADHD are at a significantly higher risk of repeating a grade, being suspended, or being expelled compared to their peers without ADHD. This not only impacts their educational progression but also their long-term academic success. In addition to academic challenges, ADHD profoundly impacts social development. Children with ADHD often experience difficulties in forming and maintaining friendships due to impulsivity, inattentiveness, and emotional deregulation.

Their behaviors, such as interrupting conversations, failing to follow social cues, or engaging in inappropriate actions, can lead to social rejection and isolation. Studies have shown that approximately 50% of children with ADHD experience peer rejection, compared to 10-15% of children without ADHD. This rejection can lead to feelings of loneliness, low self-esteem, and social anxiety, which further complicate social interactions and emotional well-being. Furthermore, children with ADHD are more likely to experience bullying and engage in aggressive behavior, which can have lasting emotional consequences. Emotional regulation difficulties associated with ADHD contribute to these social challenges.

Children with ADHD often have emotional outbursts and become easily upset or frustrated. This can make it difficult for them to get along with other children. They may also experience anxiety or depression, which complicates the situation. As a result, they may struggle more in social situations. ADHD affects both school and social life; therefore, it is important to find ways to help these children. There are two main ways to help: behavioral interventions and medications. Behavioral interventions change a child's environment and teach them skills to focus better and control their emotions. This includes changes in the classroom, social skills training, and programs for parents. Medications, such as stimulants like methylphenidate and amphetamines, help with attention and hyperactivity. Studies have shown that the combined use of therapy and medication is the most effective method for managing ADHD.

Early intervention is crucial in children with ADHD. When diagnosed and treated early, these children often perform better in school, make friends more easily, and learn to manage their emotions. However, many children, especially in communities with fewer resources or

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

where mental health issues are stigmatized, are not diagnosed or treated. It is important to overcome obstacles, such as limited healthcare access and mental health stigma, to help these children succeed. This study examines how ADHD affects children's learning and social skills by examining various factors, such as thinking, emotions, behavior, and environment. It also reviews current treatment methods, stressing the need for a combined approach using both behavioral and pharmacological strategies. Finally, this study suggests future research and treatment directions, emphasizing early detection, personalized support, and increased societal awareness to improve outcomes for children with ADHD.

Characteristics of ADHD

Attention-Deficit/Hyperactivity Disorder (ADHD) mainly involves two problems: not paying attention and being overly active or impulsive.

The DSM-5 lists specific rules for diagnosis of BPD. It requires at least six signs of either lack of attention or being overly active or impulsive. These signs must last for at least six months and be more severe than what is normal for a person's age. They must also cause problems in social and school activities. [Aelington 2013].

Attention Deficit Symptoms

- Not paying attention to details,
- It is difficult to stay focused on tasks.
- They seem not to listen and get distracted often.
- Forgets about daily activities.

Hyperactivity symptoms

Symptoms of hyperactivity and impulsivity include

- Moving around a lot,
- Not being able to stay seated,
- Talking too much,
- Interrupting others,
- Having trouble waiting for one's turn,

ADHD can present in three ways: mostly inattentive, mostly hyperactive-impulsive, or a combination of both [Arlington 2013]. The prevalence of ADHD can vary significantly based on the diagnostic criteria, methods used, and cultural differences. Polanczyk et al. found that approximately 5.29% of people worldwide have ADHD, and this rate has not increased significantly over time when the same standards are used [Polanczyk et al 2007]. According to the CDC, by 2022, approximately 9.8% of children aged 3-17 in the U.S. had been diagnosed with ADHD at some point [CDC 2025]. Boys are diagnosed more often than girls, with a ratio of 2:1 to 9:1, depending on the type. [Biederman 1996].




Fig 1: Global Prevalence of ADHD in Children

ADHD has many causes, including genes, brain differences, and environment. Studies show that about 76% of ADHD is inherited from family [Frazier et al 2004]. Brain scans reveal differences in areas that control thinking, like the prefrontal cortex, basal ganglia, and cerebellum [Klemberg et al 2010]. Environmental factors, such as low birth weight, exposure to tobacco or alcohol before birth, and early life stress, can also increase the risk of ADHD. [Faraone et al 2003].

ADHD and Scholastic Development in Children

Children with ADHD often have trouble with executive functions. These include skills like working memory, self-control, planning, and being flexible in thinking [Martinussen et al 2005]. Problems with these skills make it hard to focus on schoolwork, organize information, manage time, and change plans when needed. Studies show that issues with working memory are a big reason why children with ADHD struggle in school [Sasser et al 2006]. Working memory helps with following steps, solving problems, and staying focused, which are all important for school success. Also, problems with self-control lead to impulsive behavior. This makes it hard for children to ignore distractions, wait their turn in class, or finish long projects. These challenges often lead to ongoing school difficulties, even if the child is smart or motivated.

Table 1: Children with ADHD and Without ADHD a Comparative Chart

Scholastic criteria	Children with ADHD	Children without ADHD
Reading	40% with significant difficulties	15% with difficulties
Writing	45% slow writing expression deficit	18% slow deficit
Mathematical score	45% struggle with calculation	20% struggle
Grade retention rate	32%	11%

Children with ADHD often do not perform as well in school as their peers. They struggle in areas like reading, math, and writing [Jacobson et al 2011]. These children are more likely to repeat a grade, need special education, or drop out of high school. Research shows that by

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

their teenage years, kids with ADHD are 2.7 times more likely to repeat a grade and 1.6 times more likely to be suspended or expelled [Dupaul et al 1998]. A study by Barkley et al. found that 32% of children with ADHD did not finish high school, compared to only 15% of children without ADHD.

These ongoing academic problems often lead to lower self-esteem, less interest in school, and fewer chances for future education and jobs. How children behave in class is important for linking ADHD symptoms to school performance. Kids with ADHD often act in ways that disrupt class, like talking too much, leaving their seats without asking, or not following instructions. Teachers often see students with ADHD as less motivated, less capable, and more troublesome than other students, even if their actual academic ability is the same [Hinshaw et al 1994]. These views can harm the quality of teacher-student interactions, leading to less academic support. Research shows that good teacher-student relationships can help reduce some academic risks linked to ADHD [Conners et al 2000]. So, efforts to improve classroom behavior should also focus on building positive interactions between teachers and students.

Different Strategies for Reducing Effectiveness of ADHD in Children


1. Education arbitration

Children with ADHD benefit from structured, predictable classroom environments. Educational interventions include:

- Preferential seating near the teacher and away from distractions.
- Clear, concise instructions delivered both verbally and in writing.
- Task breakdown, where large assignments are divided into smaller, manageable tasks.
- Use of visual schedules to reinforce routines and transitions.

Studies demonstrate that consistent use of positive reinforcement, such as token economies or reward systems, significantly improves on-task behavior and academic productivity in students with ADHD. In many countries, students with ADHD qualify for special education services under disability legislation. IEPs outline specific goals, accommodations, and support services tailored to each child's needs. Implementing modifications such as extended test time, reduced homework load, and alternative assessment methods helps to mitigate the academic disadvantages associated with ADHD.

Model of Educational Intervention for ADHD



The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

- Structured environment
- Clear rules
- Consistent routines
- Task modification
- Individualized support
- Skill-based instruction
- Positive reinforcement
- Token economy
- Behavioral contracts
- Social skills training
- Peer tutoring
- Conflict resolution

Fig 2: Model of Educational Intervention for ADHD

2. Behavioral Management

Behavioral therapy helps increase good behaviors and decrease bad ones. It works well for children with ADHD. One effective method is teaching parents how to manage behavior. Programs like Parent-Child Interaction Therapy (PCIT) and Triple P (Positive Parenting Program) show parents how to: Set clear rules, use consistent consequences, encourage good behaviors, Handle emotional outbursts well. Training parents helps children do better at home and school by keeping things consistent. CBT for ADHD helps with thinking, controlling emotions, and solving problems. It uses techniques like: Self-monitoring (e.g., behavior charts), Changing negative thoughts, setting goals and organizing. Studies show CBT helps children with ADHD control themselves better and behave well in school.

3. Medical Treatment

Psycho stimulants are the main drugs used to treat ADHD. Medicines like methylphenidate and amphetamine help improve focus and reduce impulsive behavior. Studies show these drugs can reduce ADHD symptoms by 70-80% compared to a placebo. The effects are usually quick and noticeable. Common side effects include less appetite, trouble sleeping, and sometimes heart issues. Doctors need to watch patients closely. Nonstimulant drugs like atomoxetine and guanfacine are options for kids who can't handle side effects or have anxiety.

Table 2: Comparison of ADHD Medication

Medication	Class	Main action	Common side effect
Methylphenidate	Stimulant	Block dopamine reuptake	Appetite loss, insomnia
Amphetamine salts	Stimulant	Promotes dopamine release	Anxiety, irritability
Atomoxetine	Non-stimulant	Selective norepinephrine inhibitor	Fatigue, gastrointestinal upset
Guanfacine	Non-stimulant	Alpha-2 adrenergic agonist	Sedation, hypotension

Recent Advancement in Therapies for ADHD

New methods are being developed to help children with ADHD. Mindfulness training, which focuses on attention and controlling emotions, may help reduce symptoms. Early studies suggest it can improve thinking skills and reduce impulsivity. Neurofeedback helps kids control brain activity. Research shows it can moderately improve attention and behavior. Technology has also led to new treatments. Computer programs like "EndeavorRx," a game approved by the FDA, aim to improve attention in children with ADHD.

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities




Fig 3: Emerging intervention for ADHD

Scenario of ADHD across the World




Fig 4: Global ADHD Prevalence among Children by Region

Impact Intensity of ADHD on Scholastic Social and Emotional Section

Table 3: Relative Impact of ADHD on Scholastic and Social Development

Developmental Domain	Impact Level	Key Challenges
Academic Development	High	Low grades, grade retention, disengagement
Social Development	High	Peer rejection, loneliness, poor conflict resolution
Emotional Regulation	Moderate	Outbursts, frustration intolerance

Degree of Different Subtypes of ADHD




Fig 5: ADHD Subtypes Distribution

Challenges and Policy Framework for Addressing the ADHD Problem in Children

Even with progress in understanding and managing ADHD, many problems remain worldwide. Many children with ADHD are not diagnosed until they have serious school or behavior issues. Symptoms are often mistaken for laziness, defiance, or bad parenting, delaying proper help. Girls, especially those who are mostly inattentive, are often missed because their symptoms are less obvious. Misunderstandings about ADHD add to stigma, making parents hesitant to seek diagnosis and treatment. Children called "troublemakers" or "lazy" may feel bad about themselves, leading to low self-esteem and mental health issues.

Economic differences affect access to diagnosis and treatment. In poorer countries, there are few resources for child mental health, leading to delayed or no treatment for ADHD. Even in wealthier areas, long waits, high costs, and inconsistent therapy availability make managing ADHD fairly. Sticking to long-term treatment is hard. About 20% of children stop taking ADHD medication in the first year. Behavioral treatments need ongoing support from parents and schools, which can decrease over time due to lack of resources or caregiver tiredness. Better screening tools and early warning systems in schools are important to find

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

at-risk children sooner. Regular check-ups should include ADHD-specific tools. Early help greatly improves outcomes by preventing school failure and social problems. Future ADHD care should combine health, education, and social services.

School mental health programs, training teachers in behavior strategies, and working with families can improve treatment. New research on genetics, brain imaging, and behavior may lead to personalized treatments based on a child's specific needs. Machine learning is being tested to predict treatment success, which could improve ADHD care by reducing trial-and-error. Public education to raise ADHD awareness and reduce stigma is crucial. Changing views from blame to support will encourage seeking help sooner and improve outcomes for affected children.

CONCLUSION

Attention-Deficit/Hyperactivity Disorder (ADHD) can make it hard for children to do well in school and get along with others. Problems with thinking, controlling actions, handling emotions, and social skills can continue into teenage years and adulthood if not addressed. The best way to help is by using different methods together, like special help at school, therapy, medicine, and new digital tools. It's important to make sure everyone can get good care, find ADHD early, work together across different areas, and reduce stigma in society. As we learn more about ADHD through research, it's clear that children with ADHD need the right support and understanding to reach their full potential in school, socially, and emotionally.

REFERENCES

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- Barkley, R. A. (2006). ADHD and the nature of self-regulation. In J. K. Stiles (Ed.), *Developmental psychopathology: Vol. 2. Developmental neuroscience* (2nd ed., pp. 203–230). Hoboken, NJ: Wiley.
- Barkley, R. A., & Murphy, K. R. (2006). *Attention-deficit hyperactivity disorder: A handbook for diagnosis and treatment* (3rd ed.). New York, NY: Guilford Press.
- Biederman, J., Faraone, S. V., Mick, E., et al. (2006). Attention-deficit/hyperactivity disorder in adults: An overview. *American Journal of Psychiatry*, 163(5), 723–729. <https://doi.org/10.1176/ajp.2006.163.5.723>
- Biederman, J., Faraone, S. V., Milberger, S., et al. (1996). An empirical study of the familial transmission of attention deficit hyperactivity disorder. *Archives of General Psychiatry*, 53(3), 171–176. <https://doi.org/10.1001/archpsyc.1996.01830030031005>
- Centers for Disease Control and Prevention. (2025, April 28). *Data & statistics on ADHD*. CDC. <https://www.cdc.gov/nchs/fastats/adhd.htm>
- Conners, C. K. (2000). Teacher ratings of hyperactivity, inattention, and impulsivity. *Journal of Abnormal Child Psychology*, 28(6), 567–576. <https://doi.org/10.1023/A:1005118664328>
- DuPaul, G. J., Power, T. J., Anastopoulos, A. D., & Reid, R. (1998). *ADHD rating scale-IV: Checklists, norms, and clinical interpretation*. New York, NY: Guilford Press.
- DuPaul, G. J., & Stoner, G. (2014). *ADHD in the schools: Assessment and intervention strategies* (3rd ed.). New York, NY: Guilford Press.
- Faraone, S. V., Biederman, J., & Mick, E. (2006). The age-dependent decline of attention-deficit/hyperactivity disorder: A meta-analysis of follow-up studies. *Psychological Medicine*, 36(2), 159–165. <https://doi.org/10.1017/S003329170500471X>

The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities

- Faraone, S. V., Sergeant, J., Gillberg, C., & Biederman, J. (2003). The worldwide prevalence of ADHD: Is it an American condition? *World Psychiatry*, 2(2), 104–113.
- Frazier, T. W., Demaree, H. A., & Youngstrom, E. A. (2004). Meta-analysis of intellectual and academic achievement in ADHD. *Journal of Clinical Child and Adolescent Psychology*, 33(1), 13–25. https://doi.org/10.1207/S15374424JCCP3301_2
- Hinshaw, S. P. (1994). The ADHD problem: A review of ADHD and peer relationships. *Journal of Consulting and Clinical Psychology*, 62(3), 408–418. <https://doi.org/10.1037/0022-006X.62.3.408>
- Hinshaw, S. P. (2000). Peer relationships in children with attention-deficit hyperactivity disorder. In D. L. C. McCraw (Ed.), *Attention-deficit/hyperactivity disorder: A handbook for diagnosis and treatment* (pp. 219–240). New York, NY: Guilford Press.
- Hinshaw, S. P. (2006). Emotional regulation and ADHD: A neurodevelopmental perspective . In J. K. Stiles (Ed.), *Developmental psychopathology: Vol. 2. Developmental neuroscience* (2nd ed., pp. 221–238). Hoboken, NJ: Wiley.
- Hoza, B. (2007). Peer relationships in children with ADHD. *Journal of Clinical Child and Adolescent Psychology*, 36(2), 155–164. <https://doi.org/10.1080/15374410701274972>
- Hoza, B., Pelham, W. E., Dobbs, J., et al. (1995). Peer functioning in children with ADHD. *Journal of Abnormal Child Psychology*, 23(3), 335–353. <https://doi.org/10.1007/BF01447561>
- Jacobson, L. A., Mulvey, E. P., Mooney, P., et al. (2011). Attention-deficit/hyperactivity disorder and academic achievement: A longitudinal analysis. *Journal of Abnormal Child Psychology*, 39(5), 659–669. <https://doi.org/10.1007/s10802-011-9501-y>
- Klenberg, L., Klingberg, T., Wåhlstedt, C., et al. (2010). Cognitive and behavioral characteristics of children with ADHD and their association with impairments in daily life. *Psychiatry Research*, 178(2), 283–287. <https://doi.org/10.1016/j.psychres.2009.09.010>
- Martinussen, R., Hayden, J., Hogg-Johnson, S., et al. (2005). A meta-analysis of working memory impairments in children with ADHD. *Journal of Abnormal Child Psychology*, 33(3), 337–357. <https://doi.org/10.1007/s10802-005-5775-4>
- Polanczyk, G. V., Lima, D. M. S., Horta, B. L., Biederman, J., & Rohde, L. A. (2007). The worldwide prevalence of ADHD: A systematic review and metaregression analysis. *American Journal of Psychiatry*, 164(6), 942–948. <https://doi.org/10.1176/ajp.2007.164.6.942>
- Rothbart, M. K. (2004). Temperament and the development of the academic self-regulation system. *Child Development*, 75(2), 355–375. <https://doi.org/10.1111/j.1467-8624.2004.00675.x>
- Sasser, T., Dorsey, S., & McLaughlin, K. A. (2006). The association of ADHD with academic performance in a sample of children with behavioral disorders. *Journal of Educational Psychology*, 98(2), 245–257. <https://doi.org/10.1037/0022-0663.98.2.245>
- Swanson, J. M., & Volkow, N. D. (2013). Clinical treatment of ADHD. In E. Taylor & S. Loo (Eds.), *ADHD: An overview* (pp. 31–50). Cambridge: Cambridge University Press.

Acknowledgment

The author(s) appreciates all those who participated in the study and helped to facilitate the research process.

Conflict of Interest

The author(s) declared no conflict of interest.

How to cite this article: Gupta, R. & Singh, R. (2026). The Effect of Attention Deficit Hyperactivity Disorder on Children's Academic Abilities. *International Journal of Indian Psychology*, 14(3), 2624-2634. DIP:18.01.239.20261403, DOI:10.25215/1403.239