

An Association Study of Mental Health and Occupational Stress among University Personnel

Neeta N. Lad^{1*}

ABSTRACT

This study examined the association and strength of association between mental health and occupational stress. 88 university professors from The Shivaji University, Kolhapur and Mumbai University, Mumbai were selected randomly for the present study. Mental health scale by Anandkumar and Thakur and occupational stress index by A. K. Srivastav and A. P. Singh were used for data collection. Descriptive statistics namely mean Mean, SD and 'r') and inferential statistics (regression analysis) to analyze the obtained data. Results revealed significant negative correlation between mental health and occupational stress. Additionally, using the simple regression analysis revealed that mental health contributed 17% (R-square = .165) to the variance in Occupational Stress and this was found to be significant ($F(1,86) = 16.946, p < .01$). This result was significant indicating that mental health is predictor of occupational stress.

Keywords: Occupational Stress, Mental Health

Occupational stress is a major problem, not only for employees and organization, but also for the whole society. The issue of stress in organizations has given birth to too many debates and studies. It is a common theme that is addressed by managers, employees and consultants from different perspectives. Taking into account the changes that are currently taking place in our country, it is clear that these changes, which occur in almost all companies, lead to new stress factors for both employees and the organization.

Workplace stress is the harmful physical and emotional response that occurs when there is a poor match between job demands and the capabilities, resources, or needs of the worker. Stress can make an individual productive and constructive when it is identified and well managed. In times of great stress or adversity, it's always best to keep busy, to plow anger and energy into something positive. Positive attitude and meditation will be helpful to cope up with the stress. Stress can be minimized if companies take the right steps. Stress-free

¹ (Assit. Professor in Psychology, Govt. College, Aurangabad, India)

[*Responding Author](#)

An Association Study of Mental Health and Occupational Stress among University Personnel

employees perform better, work harder, feel happier and have a long term commitment to the organization as compared to their counterparts. Having broader perspective of life will definitely change the perception of stress. Let us hope that we will be successful in making distress into eustress for our healthy lifestyle as well as organizational well being.

"Mental health means a proper study of the aspects which affects an individual or society coordination and also optimum use of the aspects of that study." – Klein 'Mental health is the strength and hidden ability which keeps the human stable in the critical circumstances. The people want to achieve the physical prosperity. The present era is the era of science and technology. The people have become aware of physical health. But in the attainment of physical prosperity, the people have been losing their mental health. If we want to create the total healthy atmosphere, we should think of mental health of the people of the society, because according to Bacon, "mind is the captain of the ship of body. So maintenance and care of mental health is very important.'

Job stress is the most important and significant indicator of work life (Baba & Jamal, 1991) it is subjective concept each individual experiences it differently. It can be positive and negative. Job stress leads absenteeism, decreased productivity, increased health care costs and illness. Job stress affect on physical as well as emotional wellbeing if not managed efficiently and effectively (Marchant,1999). Increasing use of advanced technologies, competition and modernization leads to increase in fierce, and physical, mental and spiritual problems. Work stress can lead to low levels of job satisfaction, high rates of undesirable events and unfavorable physical and mental health outcomes (Chen et al., 2006).

REVIEW OF LITERATURE:

Rathod and Patel (2014) conducted a study to examine the level of mental health of lady teachers of government and private schools. 40 teachers were selected randomly from Bhavnagar district area's School. In which 20 teacher's (10 teacher's 21 to 30 and 10 teacher's 31 to 40 year) from government school's teachers and also 20 teachers (10 teacher's 21 to 30 and 10 teacher's 31 to 40 year) from private school teachers. Results revealed that in government school, 31 to 40 yrs old teachers' mental health is better than 21 to 30 yrs old teachers' and 21 to 30 yrs old teachers of private school are superior in mental health than government school teachers.

Gujare and Tiwari (2016) conducted a study to assess the role of mental health symptoms in predicting and shaping the academic achievement of the female graduate students. 239 females studying in undergraduate courses belonging to high, middle, and low socioeconomic status (SES) were selected for this study. The results revealed that emotional problems, conduct problems, hyperactivity and peer problems components of mental health symptoms have negative correlations with the scores of academic achievement of the participants on the other hand the scores of pro-social behavior component of mental health symptoms of the female students exhibited a positive correlation with the scores of academic achievement. Socio-economic status of the participants plays key role in mental health symptoms and

An Association Study of Mental Health and Occupational Stress among University Personnel

academic achievement. The regression analyses showed that the mental health symptoms predicted the academic achievement of the participants.

Tabassum and Jaha (2011) incorporated 128 male and 64 female private commercial banks employees examine quality of work life with respect to gender. Results revealed that there is a significant gender difference in quality of work life. Furthermore, Authors also found significant gender differences in areas of quality of work life namely; adequate and fair compensation, flexible work schedule and job assignment, attention to job design, and employee relations.

Bhatt (2013) conducted a study to examine the role of gender in developing mental health status. 210 Orphan secondary school students (131 Orphan and 79 non orphanages) between ages of 13 to 17 year from Kashmir Valley were selected for this study. Purposive random sampling technique was used for data collection. Results indicated significant difference in emotional stability and depressive level between male and female.

Aghaei et al. (2010) conducted a study to compare the level of occupational stress and mental health of employees of a petrochemical company in Isfahan, Central Iran, before and 3 months after privatization. They selected one hundred and forty persons by simple random sampling. Results revealed that, there was significant positive correlation found between the mental health status score and job stress score. They specifically reported that after privatization, the job stress of employees increased significantly and this increase was associated with a decrease in mental health.

Khudanniya and Kaji (2014) compared occupational stress and mental health among one hundred (50 government employees and 50 non-government employees) employees of government and non-government sectors (schools, colleges, companies & banks. The finding of the study demonstrated that mental health was found negatively correlated with occupational stress.

Nahar et al. (2013) designed a study to investigate the association of job stress and mental health on government and non-government employees. A sample of one hundred employees in which 50 government and 50 non-government employees were consisted in the study. Work stress is measured by Occupational stress index by Shrivastav and mental health was measured by General Health Questionnaire. Results revealed that, there is a significant positive correlation between job stress and types of job. Additionally, significant job stress was found in non-government employees than government employees. Moreover, there is negative correlation was found between job satisfaction and gender.

Operational Definitions

Mental health: The degree of psychological, psychiatric and social pathology of respondents as defined by Anandkumar and Thakur (1984) and as measured by Mithila Mental Health Status Inventory developed by Anandkumar and Thakur (1984).

An Association Study of Mental Health and Occupational Stress among University Personnel

Job Stress: Job stress is the extent of employee's perceived stress arise from various components and conditions of their job. In which employees finds himself/herself incompetent to meet the demands from the organizational environment and which is measured and presented by score on "Occupational Stress Index" by A. K. Srivastav and A. P. Singh (1984).

Aim

- To find out the strength of association between mental health occupational stress of university professors.

Objective

The investigator has carried out the present study with the following objectives.

1. To measure the level of Mental Health and Occupational Stress of professors.
2. To measure the strength of association among Mental Health and Occupational Stress.

Research Questions

- 1) Will there be significant relationships between the predictor variables (Mental Health) and Occupational Stress?
- 2) What are the relative contributions of the predictor variables to Occupational Stress?

Hypothesis

The following hypotheses were framed to achieve the objectives of the present study:

1. There exists positive relationship between mental health and occupational stress of university professors.

METHODOLOGY

The sample size of the study, methods used for data collection, procedures used during the administration and the statistical analysis used for the interpretation of the result are discussed below.

Statistical Analysis:

The present study is based upon Descriptive research and the variables to be studied are, Quality of work life, Mental health and Occupational stress. Data was analyzed by the descriptive statistics namely Mean, Standard deviation and Pearson's product moment correlation (r) and inferential statistics, regression analysis (R squared) was used for interpretation of the data.

Design and Sample:

A correlational design was used for the present study. A sample of 88 professors from Shivaji university (N=43; female 15, male 28), Kolhapur and Mumbai University, Mumbai (N=45; female 19, male 26) was selected by purposive sampling technique. Descriptive statistics used to

An Association Study of Mental Health and Occupational Stress among University Personnel

Procedure of data collection:

Individual administration was used. Participants were asked to sit comfortably and a good rapport was established with the general brief talk with them. They were told to answer each question with a tick mark in the place corresponding to the one which they consider suitable. They were told that there is no right or wrong answers and there is no fixed time to finish the test. But ordinarily they can take test 25-30 minutes for completing the tests. It was ensured that the answers would remain confidential. As soon as they finished their work, test materials were collected.

Tools Used for Data Collection:

- A. Mithila Mental Health Status Inventory: (MMHSI) devised by Anandkumar and Thakur (1984). This scale contains five subscales namely; i) Egocentrism, ii) Alienation, iii) Expression, iv) Emotional Un-stability and v) Social Non-Conformity. The reliability index is calculated by split half method and it is found 0.90 and by the test-retest method is 0.87.
- B. Occupational Stress Index: (OSI) by A. K. Srivastav and Singh. Scale consists of 46 items having five point rating scale namely: 'Strongly Disagree', 'Disagree', 'Undecided', 'Agree', and 'Strongly Agree' and the twelve factors namely i) Role Overload, ii) Role Ambiguity, iii) Role Conflict, iv) Unreasonable Political Pressure, v) Responsibility, vi) Under participation, vii) Powerless, viii) Poor peer relation, ix) Intrinsic Impoverishment, x) low status, xi) Strenuous working condition and xii) Unprofitability. The reliability was calculated by split half method and Cronbach's alpha and it was found 0.93 and 0.90 respectively.

RESULT

Table No. 1: Descriptive Statistics

	Mean	Std. Deviation	N
Occupational Stress	127.20	19.545	88
Mental Health	133.32	14.259	88

Table 1 shows the descriptive statistics for occupational stress and mental health of university professors. Occupational stress has the mean score of 127.20 with 19.545 SD. Mental health has the mean score of 133.32 with 14.259 SD respectively.

Research Question 1: Will there be significant relationships between the predictor variables (Mental Health) and Occupational Stress?

Table No. 2: Correlation among Occupational Stress, Quality of work life and Mental Health

	Occupational Stress	Mental Health
Occupational Stress	1	
Mental Health	.406**	1

Note: ** significant at 0.01 level, # not significant

An Association Study of Mental Health and Occupational Stress among University Personnel

The relation among occupational stress and mental health was investigated with Pearson's product moment correlation coefficient. There were no violations of normality. The findings displayed on table 2 revealed there is significantly positive correlation found between occupational stress and Mental Health; $r(86) = 0.406$, $p < 0.01$ (two tailed), indicating that more the mental health higher the occupational stress among professors.

Research Question2: What are the relative contributions of the predictor variables to Occupational Stress?

A simple regression analysis was performed to find out if Mental Health will contribute significantly to the variance in Occupational Stress. Expectedly, findings presented on table 3 revealed that Mental Health also contributed 17% (R-square = .165) to the variance in Occupational Stress and this was found to be significant ($F(1,86) = 16.946$, $p < .01$). These results indicated that Mental Health is important variables in professors' Occupational Stress.

Table 3. Simple Regression table showing Mental Health as a predictor of Occupational Stress.

Predictor	SE (B)	β	t	R	R-Sq	Adjusted R Square	ΔR^2	F Change	df1	df2	Sig. F Change
Mental Health	.556	.406**	4.12	0.406	.165	.155	.165**	16.946	1	86	.000

Note: ** significant at 0.01 level

DISCUSSION

This study investigated the relationships between Mental Health and Occupational Stress. The findings revealed that, Occupational Stress positively correlated with Mental Health. It was as expected, according to Siu et al. (1997) the employees who perceived work pressure they were positively associated with mental as well as physical health. Again coping strategies among employees were negatively related to mental and physical health. In contrast, after privatization, the job stress of employees increased significantly and this increase was associated with a decrease in mental health (Aghaei et al., 2010). Khudanniya and Kaji (2014) reported in their study, that mental health is negatively correlated with occupational stress.

A separate simple multiple regression analysis revealed that mental health also contributed 17% (R-square = .165) to the variance in Occupational Stress and this was found to be significant ($F(1,86) = 16.946$, $p < .01$) indicating that Mental health is a predictor of occupational stress. The current study investigated the relationship between professors' job stress and their mental health and it obtained a reverse correlation. This result is consistent with the findings of Pourbabkan and Javidi (2010), and Razmi and Nemat (2011). However, there is no inconsistency among researchers. It can be interpreted that job stress may affect mental performance of professors, so a higher stress index in professors' job will reduce their mental health. In general, there is a negative relationship between job stress and mental

An Association Study of Mental Health and Occupational Stress among University Personnel

health. Therefore, to decrease the level of occupational stress of professors needs to decrease the mental health status.

This is to be done by determining and removing job stress related issue. It is necessary to identify and mitigate stressors associated with each parameter, since mental health refers to a state in which an individual relates to the environment, the self, and others.

CONCLUSION

In conclusion, the findings of this study reveal that mental health are predictors of occupational stress.

REFERENCES

- Aghaei et al., Occupational stress and mental health of employees of a petrochemical company before and after privatization. *International Journal of Occupational and Environmental Medicine*, Vol. 1, No. 2, 2010, pp. 75-79.
- Bhatt, N. S., A study of emotional stability and depression in Orphan secondary school students, *International Journal of Education and Psychological Research*, Vol. 3, No. 2, 2013, pp. 95-100.
- Gujare and Tiwari, Mental Health Symptoms Predict Academic Achievement of the Female Students, *The International Journal of Indian Psychology* ISSN 2348-5396 (e) ISSN: 2349-3429 (p) Volume 4, Issue 1, No. 76, 2016, DIP: 18.01.006/20160476 ISBN: 978-93-86162-13-7
- Nahar et al., The relationship of job satisfaction, job stress, mental health of government and non-government employees of Bangladesh. *Psychology*, Vol. 4 No. 6, 2013, pp. 20-25
- Rathod and Patel, mental health for lady teachers of government and private schools, *The International Journal of Indian Psychology*: Volume: 02, Issue: 02, 2014.

How to cite this article: Lad N N (2018). An Association Study of Mental Health and Occupational Stress among University Personnel. *International Journal of Indian Psychology*, Vol. 6, (2), DIP: 18.01.241/20180602, DOI: 10.25215/0602.241